

TOWN OF BETHLEHEM

Albany County - New York

POLICE DEPARTMENT

447 DELAWARE AVENUE
DELMAR, NEW YORK 12054

(518) 439-9973

Fax: (518) 439-6965



David VanLuven
Town Supervisor

Gina F. Cocchiara
Chief of Police

REQUEST FOR QUOTATION

The Town of Bethlehem requests quotations for Pavement Maintenance, for the parking lot of the Bethlehem Town Hall, located at 445 and 447 Delaware Avenue, Delmar, New York 12054.

1. Rout, air blow and thoroughly clean out all newly formed structural cracks. Fill to refusal with hot poured rubberized joint seal in accordance with Federal Specifications.
2. Air blow and thoroughly clean all bituminous concrete surfaces. Prime all oil, gas and fuel derivative spots with oil spot primer.
3. Furnish and install one (1) coat of rubberized sand slurry application with 4-6 pounds of sand blended into each gallon of emulsion. Apply at rate of .15 gallons per square yard.
4. Layout and stripe all lane lines and pavement markings as mapped by Appendix A, attached hereto. This includes striping for 26 vehicles with red stripe painting, one solid line and block letters, one walkway striping, 7 vehicles with blue stripe painting (including wheelchair symbol) and two handicapped loading zones, as well as 145 vehicle spaces designated with white line striping.
5. Clean up general work area and remove all trash debris.
6. Work to be performed on two consecutive weekends, with a minimum daytime and overnight temperature of 40 degrees Fahrenheit. Appendix A shows the sections in which the lot will be done on each weekend. Work can commence starting at 5:00 PM on each Friday and must be completed by noon on Sunday. Line stripping and pavement markings must be completed by 8:00 PM on Sunday.
7. Certificate of Insurance required, must be submitted at time of bid.
8. All bidders must sign a non-collusion agreement, Appendix B.
9. All bidders must complete the Bidder Qualification form, Appendix C.

CONTINUED ON SECOND PAGE

10. Bidders may view the lot and specifications on their own or contact the below point of contact if they would like to discuss specifics or be escorted to review the job requirements.
11. All work is to be conducted in the 2021 calendar year. If not completed the bid shall be null and void.
12. Optional Work: Furnish and install second coat of materials listed above at rate of .10 gallons per square yard. List optional price separate.

The Town of Bethlehem reserves the right to reject any and all bids that are not in compliance with the specifications and requirements listed herein.

Location – Bethlehem Town Hall, 445 and 447 Delaware Avenue, Delmar NY 12054

Pavement Area – (appx. **8,750.**) square yards

Quotes due no later than September 16, 2021, at 5:00 PM EST.

As a reminder to meet the bidding qualifications, you must complete Appendix B and Appendix C and submit with a valid copy of your certificate of insurance.

Questions should be directed to Commander Adam Hornick 518-439-9973 x1211 or ahornick@townofbethlehem.org

Bids shall be submitted in the following methods: by email to ahornick@townofbethlehem.org, by US mail to Commander Adam Hornick, Bethlehem Police Department 447 Delaware Avenue, Delmar, New York 12054, by Fax with a cover sheet to 518-478-0349, or in person at the Bethlehem Police Department, 447 Delaware Avenue, Delmar, New York 12054.